# John Mercial Containers





## nmercial Containers

### **Triumph**



8 YARD FRONT LOAD ST



6 YARD FRONT LOAD ST



4 YARD FRONT LOAD





3 YARD FRONT LOAD



1 YARD FRONT LOAD

- Weighs significantly less than samesize metal containers, improving worker safety
- Steel reinforcements strategically placed to support container, ensuring performance during heavy lifting
- Low maintenance—never needs painting, is easy to clean and is dent resistant
- Steel components have electrophoretic coating (electro-coating) to maximize container life in corrosive environments
- Fork pocket guides improve collection efficiency and reduce damage to container during emptying
- 100% recyclable

### SteeLite™



2 YARD REAR LOAD

4 YARD FRONT LOAD



2 YARD FRONT LOAD



3 YARD FRONT LOAD



2 YARD REAR LOAD

- Plastic molded body is surrounded by a steel frame and base
- Steel frame around and under container body ensures stable lifting
- Body made of strong, durable molded plastic construction
- Weighs significantly less than samesize metal containers, improving worker safety
- Liquids inside never touch the steel, preventing rust and corrosion issues

### **Pioneer**



2 YARD FRONT LOAD

- The original plastic container that has been in use for over 20 years
- Ideal for wet refuse
- Integrally molded details reinforce lift and stress points to accommodate heavy loads
- Weighs 1/3 less than same size metal containers

- Easy to maneuver over uneven surfaces
- Will not corrode in salt air or humid environments
- Dual hinged lids keep pests out, and odor and refuse in

### European Style 4-Wheel



- Great for hallways, tight areas, and back-of-house aisles
- Works with selected fully automated side load and rear load collection systems
- Four swiveling casters with brakes
- Side handles for easy maneuvering

### **Customize Your Container**

- Manual and Gravity lock options available on front load containers
- · For additional customizations, contact your Area Manager



### **Color Options**



Colors as shown in this document may differ slightly from the actual product. Not all color options are available on all containers. Lids are black for Triumph, SteeLite, and Pioneer containers. European Style 4-Wheel container lids match base color. European Style 4-Wheel container is only available in light gray; Triumph, SteeLite, and Pioneer containers are not available in Light Gray.

### Wheel Features

- · Reinforced caster mounting for increased strength and durability
- · Quick release caster plate allows for fast caster replacement from outside of the container
- · 4" caster plates prevent puncturing in container bottom and have single-bolt release
- Standard 6" casters on 1, 2, 3, & 4 yard containers
- Roll brakes available

Quick change caster plates improve replacement efficiency. Steel support channels distribute heavy loads evenly across the container floor.



# TTO/01052015

# Commercial Containers

### **Triumph**

MODEL	LOAD HEIGHT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
8 YARD FL ST TRI	50"	82"	81"	86"	5000 LBS.	552 LBS.	2 HIGH	1	7
6 YARD FL ST TRI	50"	68"	81"	81 1/8"	3500 LBS.	530 LBS.	2° HIGH	1	16
4 YARD FL TRI	55 <sup>3</sup> / <sub>4</sub> "	71 1/2"	81"	58 <sup>1</sup> / <sub>2</sub> "	2500 LBS.	403 LBS.	2 HIGH	2	20°
3 YARD FL TRI	53 1/4"	62"	81"	55"	1500 LBS.	373 LBS.	3 HIGH	4	33°
2 YARD RL TRI	48 3/4"	50"	78"	49 3/4"	1400 LBS.	300 LBS.	5 HIGH	6	85
1 YARD FL TRI	40 3/4"	42 1/8"	81"	32"	700 LBS.	217 LBS.	5 HIGH	9	115°

### **SteeLite**

MODEL	LOAD HEIGHT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
4 YARD FL STL	57 1/2"	72 1/2"	80 1/2"	56 1/2"	3200 LBS.	581 LBS.	2 HIGH	3	20
3 YARD FL STL	54 1/2"	62 1/2"	80 1/2"	54 1/2"	2400 LBS.	472 LBS.	2 HIGH	6	20
2 YARD FL STL	51 <sup>1</sup> / <sub>2</sub> "	52"	83 1/2"	42 1/2"	1600 LBS.	320 LBS.	3 HIGH	6	45
2 YARD RL STL	50 1/2"	50 1/2"	78"	50"	1600 LBS.	367 LBS.	4 HIGH	8	30

### **Pioneer**

MODEL	LOAD HEIGHT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
2 YARD FL PIO	50"	51 <sup>1</sup> / <sub>4</sub> "	83 1/2"	42 1/2"	1400 LBS.	255 LBS.	3 HIGH	6	42

### **European-Style 4-Wheel**

MODEL	GALLON EQUIVALENT	MAX HEIGHT	WIDTH	DEPTH	LOAD RATING	ASSEMBLY WEIGHT	FULL T/L STACKING	LTL MAX. QTY	T/L QTY (53' TRUCK)
1100 LITER EURO	291 GAL	53 3/4"	49"	42"	970 LBS.	175 LBS.	5 HIGH	4	90
770 LITER EURO	204 GAL	53 3/4"	49"	30 1/2"	675 LBS.	125 LBS.	5 HIGH	4	170
660 LITER EURO	175 GAL	47 3/4"	49"	30 1/2"	580 LBS.	100 LBS.	6 HIGH	4	200

Container specifications vary slightly based on product mold and are subject to change. Height includes casters where applicable. Width includes pockets. Shipping information is estimated and varies slightly based on product mold and mold location. For maximum shipping capacity, some assembly is required.

### Otto Environmental Systems North America, Inc.

12700 General Drive, Charlotte, North Carolina 28273 800-795-OTTO (6886) • info@otto-usa.com • otto-usa.com



